


Push Connect Technology Water Supply Stops

Connect with Confidence.
Fast. Reliable. Durable.

Features and benefits include:

- Three watertight options available
- Installation ready with pre-assembled tube insert
- No special installation tools required
- Smooth 1/4 turn operation
- Compatible with copper, PEX and CPVC
- 100% leak tested



Scan for
more
information





PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Compression x Compression - Angle					
G2CR09X C	026613138305	1/2" Nom Comp x 1/4" OD Comp	Chrome	60	13.1
G2CR09X C1	026613138312	1/2" Nom Comp x 1/4" OD Comp	Chrome	24	5.4
G2CR09X R	026613138329	1/2" Nom Comp x 1/4" OD Comp	Rough	60	13.2
G2CR19X C	026613135069	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	13.5
G2CR19X C1	026613135809	1/2" Nom Comp x 3/8" OD Comp	Chrome	32	7.4
G2CR19X R	026613138534	1/2" Nom Comp x 3/8" OD Comp	Rough	60	13.6
G2CR39X C	026613144955	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	15.8
G2CR39X C1	026613144962	1/2" Nom Comp x 1/2" OD Comp	Chrome	24	6.5
G2CR39X R	026613144979	1/2" Nom Comp x 1/2" OD Comp	Rough	60	15.9



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Compression x Compression - Straight					
G2CR11X C	026613145075	1/4" Nom Comp x 3/8" OD Comp	Chrome	60	13.0
G2CR11X C1	026613144757	1/4" Nom Comp x 3/8" OD Comp	Chrome	24	5.4
G2CR14X C	026613136929	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	15.2
G2CR14X C1	026613135892	1/2" Nom Comp x 3/8" OD Comp	Chrome	32	8.3
G2CR14X R	026613136943	1/2" Nom Comp x 3/8" OD Comp	Rough	60	15.3
G2CR34X C	026613144986	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	16.8
G2CR34X C1	026613145044	1/2" Nom Comp x 1/2" OD Comp	Chrome	24	6.4
G2CR34X R	026613145051	1/2" Nom Comp x 1/2" OD Comp	Rough	60	16.9



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Compression PEX x Compression - Angle					
G2CR19PXX C	026613149608	1/2" Nom Comp x 3/8" OD Comp With Tube Insert	Chrome	60	13.9



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Compression PEX x Compression - Straight					
G2CR14PXX C	026613136936	1/2" Nom Comp x 3/8" OD Comp With Tube Insert	Chrome	60	15.7



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Compression x Slip-Joint - Angle					
G23341X C	026613135243	1/2" Nom Comp x 7/16" & 1/2" OD Slip-Joint	Chrome	60	16.9
G23341X C1	026613135250	1/2" Nom Comp x 7/16" & 1/2" OD Slip-Joint	Chrome	24	6.9



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Compression x Slip-Joint - Straight					
G23345X C	026613135236	1/2" Nom Comp x 7/16" & 1/2" OD Slip-Joint	Chrome	60	18.6
G23345X C1	026613145068	1/2" Nom Comp x 7/16" & 1/2" OD Slip-Joint	Chrome	24	7.6

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
FIP x Compression - Angle					
G2R15X C	026613145143	3/8" FIP x 3/8" OD Comp	Chrome	60	11.7
G2R15X C1	026613136059	3/8" FIP x 3/8" OD Comp	Chrome	24	4.8
G2R07X C	026613138336	1/2" FIP x 1/4" OD Comp	Chrome	60	13.5
G2R07X C1	026613138343	1/2" FIP x 1/4" OD Comp	Chrome	24	5.5
G2R07X R	026613144993	1/2" FIP x 1/4" OD Comp	Rough	60	13.6
G2R17X C	026613137926	1/2" FIP x 3/8" OD Comp	Chrome	60	13.6
G2R17X C1	026613135885	1/2" FIP x 3/8" OD Comp	Chrome	32	7.4
G2R17X R	026613145082	1/2" FIP x 3/8" OD Comp	Rough	60	13.7
G2R17X R1	026613145099	1/2" FIP x 3/8" OD Comp	Rough	24	5.6
G2R37X C	026613145006	1/2" FIP x 1/2" OD Comp	Chrome	60	15.9
G2R37X C1	026613145013	1/2" FIP x 1/2" OD Comp	Chrome	24	6.5



FIP x Compression - Straight					
G2R10X C	026613145037	3/8" FIP x 3/8" OD Comp	Chrome	60	13.0
G2R10X C1	026613137803	3/8" FIP x 3/8" OD Comp	Chrome	24	5.3
G2R12X C	026613138572	1/2" FIP x 3/8" OD Comp	Chrome	60	14.3
G2R12X C1	026613135953	1/2" FIP x 3/8" OD Comp	Chrome	24	5.9



FIP x Slip-Joint - Angle					
G23301X C	026613138411	1/2" FIP x 7/16" & 1/2" OD Slip-Joint	Chrome	60	17.1
G23301X C1	026613135724	1/2" FIP x 7/16" & 1/2" OD Slip-Joint	Chrome	24	7.0



FIP x Slip-Joint - Straight					
G23305X C	026613137735	1/2" FIP x 7/16" & 1/2" OD Slip-Joint	Chrome	60	17.5
G23305X C1	026613137742	1/2" FIP x 7/16" & 1/2" OD Slip-Joint	Chrome	24	7.2



†Crimp PEX Barb x Compression - Angle					
G2BRPX19X C	026613137568	1/2" Nom Crimp Barb x 3/8" OD Comp	Chrome	60	10.5
G2BRPX19X R	026613145112	1/2" Nom Crimp Barb x 3/8" OD Comp	Rough	60	10.6



†Crimp PEX Barb x Compression - Straight					
G2BRPX14X C	026613149578	1/2" Nom Crimp Barb x 3/8" OD Comp	Chrome	60	12.1
G2BRPX14X R	026613149585	1/2" Nom Crimp Barb x 3/8" OD Comp	Rough	60	12.2



†Crimp PEX Barb x Barb - Straight					
G2BRPX44X C	026613139821	1/2" Nom Crimp Barb x 1/2" Nom Barb	Chrome	60	11.4
G2BRPX44X R	026613136707	1/2" Nom Crimp Barb x 1/2" Nom Barb	Rough	60	11.4



† For Brass "Crimp PEX" fittings and stops ASTM F1807



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
‡Cold Expansion PEX Barb x Compression - Angle					
G2CEPX19X C	026613141589	1/2" Nom Cold Expansion Barb x 3/8" OD Comp	Chrome	60	11.3



‡Cold Expansion PEX Barb x Compression - Straight					
G2CEPX14X C	026613141565	1/2" Nom Cold Expansion Barb x 3/8" OD Comp	Chrome	60	12.9



ΔCPVC Solvent Weld x Compression - Angle					
G2PR19X C	026613142357	1/2" Nom CPVC x 3/8" OD Comp	Chrome	60	14.0
G2PR19X C1	026613144924	1/2" Nom CPVC x 3/8" OD Comp	Chrome	24	5.8
G2PR19X R	026613144931	1/2" Nom CPVC x 3/8" OD Comp	Rough	60	14.1



ΔCPVC Solvent Weld x Compression - Straight					
G2PR14X C	026613142364	1/2" Nom CPVC x 3/8" OD Comp	Chrome	60	15.8
G2PR14X C1	026613144917	1/2" Nom CPVC x 3/8" OD Comp	Chrome	24	6.5



Push Connect x Compression - Angle					
G2PS09X C	026613142180	1/2" Nom Push Connect x 1/4" OD Comp	Chrome	60	15.1
G2PS19X C	026613142128	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	60	15.4



Push Connect x Compression - Straight					
G2PS14X C	026613142142	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	60	15.8



Push Connect x Push Connect - Angle					
G2QPS19X C	026613145204	1/2" Nom Push Connect x 3/8" OD Push Connect	Chrome	60	16.6



Push Connect x Push Connect - Straight					
G2QPS14X C	026613145198	1/2" Nom Push Connect x 3/8" OD Push Connect	Chrome	60	16.5



Push Connect Combination Removal Tool					
PCT-10-6	026613142197	1/2" Nom and 1/4" Nom Combination Removal Tool		10	0.4

‡ For Brass "Cold Expansion PEX" fittings and stops ASTM F1960
 Δ CPVC pre-torqued fittings eliminate the need for tightening on the job.

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Push Connect x Compression - Angle With Locking Clip					
G2PC09X C	026613149615	1/2" Nom Push Connect x 1/4" OD Comp	Chrome	60	18.6
G2PC19X C	026613136967	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	60	19.2
G2PC19X C1	026613135700	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	20	6.3



Push Connect x Compression - Straight With Locking Clip					
G2PC14X C	026613136950	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	60	20.2
G2PC14X C1	026613135922	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	20	6.6

